

TEAM CHARIOT



400L X 6M VERSION SHOWN

- Tow or remove from base chassis and use as tractor mounted sprayer
- Wide flotation low ground pressure wheels
- Lightweight and maneuverable
- Clean water flushing system
- Modern tank design to ensure full chemical usage
- Easily accessible suction filter
- Integral hand wash tank
- Powder coated chassis for chemical resistance

Standard Fittings	Optional Extras	
<ul style="list-style-type: none"> • 300Ltr tank • 6Mtr manual fold boom • Honda engine & pump • Low ground pressure wheels & tyres • Manual spray controls with Electric spray on/off • Chemical inductor • Clean water tank rinse • Clothes locker • Clean water (hand wash) 	<ul style="list-style-type: none"> • 3/7/8/10/12M boom • 6Mtr electric fold boom • 5.5M dual boom (covered) • 400/500/600L tank • Full electric in-cab spray controls • Twin wheel tandem axles • Road lights • Triple nozzles • Balanced controls 	<ul style="list-style-type: none"> • Hose holder • Hose reel • Bout/foam marker • Water suction/tank fill

Tank	Boom	Nozzles	Pump	Controls
Impact resistant polythene	Rigid 6Mtr manual rear folding	Colour Coded Quickfit with Check Valves	Engine driven 73Ltr/min 3-Diaphragm	3-section isolation with pressure regulation & electric spray on/off

The Team Chariot has been designed to be towed by an ATV or similar power unit, the sprayer can be demounted from the base chassis and used as a tractor mounted unit. Incorporation all the requirements to meet the latest spraying legislation. Reliable, robust design and 'easy to use' operator controls make the machine very 'user friendly'.

Weights & Dimensions for 300L x 6M version

Weight: 150Kg

Transport Width (6M Boom): 1.9M

Transport Width (8M Boom): 2.5M



TEAM SPRAYERS LIMITED
 Unit 3 Lancaster Way Business Park, Witchford, Ely, Cambs, CB6 3NW.
 Telephone 01353 661211 Facsimile 01353 666642 E-Mail sales@team-sprayers.com
www.teamsprayers.com

DJH 0516: GROUND CARE



TEAM FAIRWAY

Features

- Robust chassis and boom design
- Various build options
- Modern tank design to ensure full chemical usage
- Easily accessible suction filter
- Low center of gravity
- Wide flotation turf tyres
- Large tank lid for easy access



800L X 12M VERSION SHOWN

Standard Fittings	Optional Extras
<ul style="list-style-type: none"> • 600L Polythene tank • 6M manual fold boom • 73Lpm PTO driven diaphragm pump • 3-section manual spray controls with in-cab electric spray on/off • Hand wash tank • Clothes locker • Wide flotation turf tyres (26" X 12") • 20L Chemical inductor • Clean water tank rinse 	<ul style="list-style-type: none"> • Spray boom widths (8,10 or12M) • 800 – 1500L tanks sizes • Computerised spray rate control • Full electric spray controls • 110 or 180LPM pump • Hydraulic boom lift • Hydraulic driven pump • Engine driven pump • Triple nozzle assemblies • Bout/foam marker • Hose holder • Hose reel & lance • Water suction/tank fill

TANKS	BOOM	NOZZLES	PUMP	CONTROLS
Impact resistant polythene	Fully welded tubular steel design	Colour Coded Quick fit with Check Valves	Bertolini Poly series	Manual 3-section isolation with pressure regulation

The Fairway trailed sprayer range gives the Greenkeeper an alternative to De-mount truck or tractor mounted sprayers. With large tank sizes up to 1500L and boom widths out to 12M, applying high rate fertilisers/feeds to course fairways without trouble. PTO driven and easily attached to the towing vehicle, it is ideally suited to green keepers or large estate owners with large grassland spraying requirements.

Weight & Dimensions (600Ltr tank version)
 Transport Width - 2M
 Length - 2.4M
 Height - 1.35M



GROUND CARE

TEAM SPRAYERS LIMITED
 Unit 3 Lancaster Way Business Park, Witchford, Ely, Cambs, CB6 3NW.
 Tel: 01353 661211 Fax: 01353 666642 E-Mail sales@team-sprayers.com www.teamsprayers.com
 DH 10.11.15

TEAM Transit



Optional 200Ltr version c/w 3-section spray controls

Features

- Simple robust design
- Compact and manoeuvrable
- Powder coated chassis
- Adjustable pressure control system
- Quick charge 12V battery and charger
- Detachable boom for transport
- Adjustable axle for balancing of unit

Standard Fittings	Optional Extras
<ul style="list-style-type: none"> • 90Ltr tank • Single section adjustable pressure control with gauge • Height adjustable 2M 4-nozzle folding boom • Suction filter • 12V diaphragm pump • Pump on/off switch box • Pneumatic tyres (16 x 650 x 8) 	<ul style="list-style-type: none"> • 120Ltr tank • 200Ltr tank (pictured above) • 3Mtr 6-nozzle boom • Sectional spray controls • High output 12 volt pump • Engine and pump • Bout marker • Triple nozzle assemblies • 1M Driftmaster (covered) boom • XT010 nozzles (only with high output pump) • Hand lance kit • Retractable hose reel and lance

Tank	Boom	Nozzles	Pump	Controls
Impact-resistant Polyethylene	2Mtr 4-nozzle rear folding	Colour Coded Quickfit with Check Valves	8.3 LPM 12V diaphragm	Manual spray on/off c/w pressure regulation

Supplied with an adjustable pressure control system, the Team Transit has been designed for the Grounds man who requires a small, efficient and reliable towed sprayer.

Weight & Dimensions (standard 90Ltr version)

Weight – 72Kg
 Width – 1.0M
 Length – 650mm
 Height – 1.0M

TEAM SPRAYERS LIMITED
 Unit 3 Lancaster Way Business Park, Witchford, Ely, Cambs, CB6 3NW.
 Telephone 01353 661211 Facsimile 01353 666642 E-Mail sales@team-sprayers.com
www.teamsprayers.com
 DH 29.7.11



GROUND CARE